This document describes the various data elements contained in the encounter record you will extract and send to the State. The description includes things like data element name, length and data type. In addition, there is a brief definition of the data element as well as some of the validation rules Encounter Reporting will use to verify the data you send us. It's primarily intended as a technical document to assist the MCO IT personnel in creating an extract from your claims history data

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot) / Format	Is data required?	Default Value	ID#	Error cat					
Organization ID	8 Fixed	<b>N</b> (0000000)	Υ	None	H1	Н					
Data Element Description:	Eight digit certified Medicaid provid Community Living Alliance = 69005	ler number assigned to the MCO. Cur 5000, Community Health Partnership =	rently, Community Care Organization 69005200	n Milw Co = 69002300, Elder Care of Dane Count	y = 6900	)2700,					
Validation Rules:	Must exist in the Master Lookup tal	ble.									
Submission Date	10 Fixed	D(CCYY-MM-DD)	Υ	None	H2	Н					
Data Element Description:	The date the submission was gene	The date the submission was generated at the MCO.									
Validation Rules:											
Begin Posting Date	10 Fixed	D(CCYY-MM-DD)	Υ	None	НЗ	Н					
Data Element Description:	The beginning process date used t	to extract encounter records for the su	bmission.								
Validation Rules:											
End Posting Date	10 Fixed	D(CCYY-MM-DD)	Y	None	H4	Н					
Data Element Description:	The ending process date used to e	extract encounter records for the subm	ission.								

This document describes the various data elements contained in the encounter record you will extract and send to the State. The description includes things like data element name, length and data type. In addition, there is a brief definition of the data element as well as some of the validation rules Encounter Reporting will use to verify the data you send us. It's primarily intended as a technical document to assist the MCO IT personnel in creating an extract from your claims history data

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot) / Format	Is data required?	Default Value	ID#	Error cat
Validation Rules:						
Number of Records Transmitted	8 Max	N	Y	None	H5	Н
Data Element Description:	The number of detail records that a	are contained within the submission.				
Validation Rules:	Number of Records Transmitted m	ust be equal to the number of detail re	cords in a submission.			
CMO:Submission_type	10 Max	А	Υ	TEST	H6	Н
Data Element Description:	The submission type must be Prod	uction				
Validation Rules:	Must be 'Production'. This value is	not case sensitive				

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#		
Record ID	80 Max	ANPlus	Υ	None	NA	D04		
Data Element Description:	Unique ID ass	igned by the MCO to uniquely id	dentify the record(claim detail line). This	ID is unique to every train	nsaction submitted.	_		
Validation Rules:						_		
Claim Status	1 Fixed	A (0)	Υ	None	NA	D07		
Data Element Description:	The current st	atus of the encounter (claim det	ail line). (P = Paid; D = Denied)			_		
Validation Rules:	Must be either	P or D.				_		
Data Source	2 Fixed	AN (00)	Υ	01	NA	D03		
Data Element Description:	Identifies the s Other sources	source of data. 01 = "Claims / C might include the Timekeeping	Elinical System", 02 = "ISP", 03 = "Accour module/Payroll.	nts Receivable", 04 = "Pre	edictive Model", and 05 = "Accounts Payable".			
Validation Rules:	Must exist in t	he Master Lookup table and val	id for this organization.			_		
Member Share	1 Fixed	A (0)	Υ	N	NA	D63		
Data Element Description:	The type of m	The type of member's share. Supported services are: C = Cost Share, R = Room & Board, V = Voluntary Contribution, S = Spenddown or N = None.						
Validation Rules:	Must be either	"C", "R", "V", "S" or "N".				_		

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Organization ID	8 Fixed	N (0000000)	Υ	None	NA	D02
Data Element Description:			assigned to the MCO. Currently, Commi 005000, Community Health Partnership =		/lilw Co = 69002300, Elder Care of Dane County	
Validation Rules:	Must exist in t	he Master Lookup table.				J
Posting Date	10 Fixed	D (CCYY-MM-DD)	Υ	None	Adjudication or Payment Date (AN, L=35)	D59
	The date the date.	claim was finalized. For paid cla	ims it is the check date. For denied clain	ns, it is the EOB or notific	ation date. For adjustments it is the posting	
Validation Rules:						_
Record Type	1 Fixed	A (0)	Υ	None	NA	D08
Data Element Description:	The type of er transaction be	ncounter transaction. O = An ur ing adjusted and the Debit is to	nadjusted transaction. C = Adjusting entri- "replace" the transaction being adjusted.	es that usually come in pa	airs. The Credit is to reverse the actual	
Validation Rules:	Must be O or	С				_
Support Indicator	1 Fixed	A (0)	Υ	С	NA	D62
Data Element Description:	The type of su	ipport this service line item repr	esents. S = Self-directed; C = MCO-dire	ected; N = Non-Services		_502
Validation Rules:	Must be either	r "C", "N" or "S". Must be "N" fo	or Member share			_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Billing Provider Last Name or Organization	35 Max	ANPlus	Y	None	Billing_Provider_Last_Name_or_Organization (AN, L=35)	D21
Data Element Description:	Last name of	the billing provider or the name	of the individual group/clinic, or organiza	tion.		
Validation Rules:						_
From Date of Service	10 Fixed	D (CCYY-MM-DD)	Υ	None	Service Date (AN, L=35) From Date and To Date of service are combined into one field on the HIPAA 837 layout	D42
Data Element Description:	First date of s	ervice.				_
Validation Rules:						_
Paid Amount	15 (13,2) Max	N (-9999999999999)	Υ	None	Payer Paid Amount (AN, L=18)	D58
Data Element Description:					s are being paid on one claim do not enter the d to 18(15+decimal+2decimals) to comply with	
Validation Rules:	Must be less	than or equal to Charges.				_
Receipt Date	10 Fixed	D (CCYY-MM-DD)	Υ	None	NA	D57
Data Element Description:	The date the	claim was received by the MCO	from the provider.			_557
Validation Rules:						_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Recipient ID	10 Fixed	N (000000000)	Υ	None	Patient's Primary Identification Number (AN, L=80)	D30
Data Element Description:	Recipient's ter	n digit Medicaid identification nu	mber with no dashes. Fixed length of 10	) numbers.		_
Validation Rules:	Must exist in t	he Master Lookup table.				-
Recipient First Name	25 Max	ANPlus	Υ	None	Patient First Name (AN, L=25)	D32
Data Element Description:	First name of	recipient.				-
Validation Rules:						_
Recipient Last Name	35 Max	ANPlus	Υ	None	Patient Last Name (AN, L=35)	D31
Data Element Description:	Last name of	recipient.				-
Validation Rules:						_
Service Delivery Type	2 Fixed	A (00)	Y	None	NA	D76
	The service de Health, etc.	elivery mechanism. Examples a	are PC = Program Contract providers, NC	C = non-program Contract	providers, IS = Informal Supports, PH = Public	
Validation Rules:	Must exist in t	he Master Lookup table.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#			
To Date of Service	10 Fixed	D (CCYY-MM-DD)	Y	None	Service Date (AN, L=35) From Date and To Date of service are combined into one field on the HIPAA 837 layout	D43			
Data Element Description:	Last date of se	ervice.				_			
Validation Rules:	On Pharmacy	Claims, To Date of Service mu	st be less than or equal to Posting Date			_			
TPL Paid Amount	15 (13,2) Max	N (-999999999999999)	Υ	None	NA	D60			
Data Element Description:	enter the total	tail claim amount paid by third party insurer. (This is the TPL amount paid for this line item only. If multiple TPL details are being paid on one claim do not ter the total TPL paid amount). Example the dollar amount of 35.5 can be sent as 35.5 or 35.50. Field size expanded to 18(15+decimal+2decimals) to mply with HIPAA							
Validation Rules:	Must be prese	ent for Encounter Transactions.	Must equal "0" for Member share transac	ctions.		_			
Adjustment Type	1 Fixed	A (0)	s	None	NA	D09			
Data Element Description:	The type of ac credit/debit en adjusted trans	counter transactions. R = A tra	ransactions that are "adjusting" a former insaction that is the credit to reverse the a	encounter transaction. Tladjusted transaction. N =	nese may be assigned by the MCO for A transaction that is the debit to replace the				
Validation Rules:	Required if Re	ecord Type is "C".				-			
Adjustment Type Detail	2 Fixed	A (00)	N	None	NA	D10			
Data Element Description:	provider. PC	= An adjustment that partially re		in some funds being paid	nds being paid back to the MCO from the l back to the MCO from the provider. NC = An				
Validation Rules:	Must be "FC"	, "NC" or "PC"				_			

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Admit Start Care Date  Data Element Description:	10 Fixed The date the	D (CCYY-MM-DD) patient was admitted to the prov	S vider for inpatient care, outpatient service	or start of care.		_ D96
Validation Rules:	Required on	Institutional claims. Must be null	for member share			_
Admitting Diagnosis Code  Data Element Description:	6 Max The ICD-9 dia	AN agnosis code provided at the tim	N ne of admission as stated by the physiciar	n		_ D94
Validation Rules:	Must exist in	the Master Lookup table. Must	be null for member share			_
Allowed Amount	15 (13,2) Max	N (-99999999999999999)	S	None	NA	D61
Data Element Description:	lesser of the	Medicaid Rate, MCO Contracted	ver as being 'allowable' under the provision of Rate or the amount Billed/Charged by the I+2decimals) to comply with HIPAA	ns of the contract prior to ne Provider. Example the	the determination of actual payment. The dollar amount of 35.5 can be sent as 35.5 or	_501
Validation Rules:	Must be pres	ent for Encounter Transaction. I	Must be NULL for member share transac	tions		_
Billing Provider First Name	25 Max	ANPlus	N	None	Billing_Provider_First_Name (AN, L=25)	D22
Data Element Description:	First name of	the billing provider.				_
Validation Rules:	(Highly enco	uraged to populate if the Billing	Provider is an individual)			_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Billing Provider ID	80 Max	ANPlus	S	None	Billing Provider Identifier (AN, L=80)	D20
Data Element Description:	The Provider's	Employer ID, SSN, National P	rovider ID, or MCO specific ID.			_
Validation Rules:	Required whe	n MA Billing Provider ID field is	not used otherwise it is optional.			_
Billing Provider ID-Qualifier	2 Max	AN	S	None	ID Code Qualifier (AN, L=2)	_D19
Data Element Description:	Qualifies what	identification is used in the Billi	ing Provider ID field. EIN = 24, SSN = 34	, NPI = XX, or MCO speci	ffic = CO.	
Validation Rules:	Must be one o	f the following: 24, 34, XX or C	O. Must be provided when Billing Provided	der ID is used.		_
Billing Provider Middle Name	25 Max	ANPlus	N	None	Billing_Provider_Middle_ Name (AN, L=25)	D23
Data Element Description:	Full middle na	me of the billing provider.				_
Validation Rules:						_
Charges	15 (13,2) Max	N (-9999999999999999)	S	None	Line Item Charge Amount (AN, L-18)	D56
Data Element Description:	The amount cl claim billed an HIPAA	narged by the Provider. (This is nount). Example the dollar amo	s the amount billed for this line item only. ount of 35.5 can be sent as 35.5 or 35.50.	If multiple details are beir Field size expanded to 1	ng billed on one claim do not enter the total 8(15+decimal+2decimals) to comply with	
Validation Rules:	Must be provid	ded for an Encounter transactio	n. Must be NULL for member share trans	sactions.		_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Claim Type	2 Max	AN	S	None	NA	D97
Data Element Description:	Claim form us	ed to fill out the claim				
Validation Rules:	Must be provi Pharmacy, ar	ded for an encounter transaction nd PR = Professional	n and must be NULL for member share. M	flust be one of the following	ng values: DE = Dental, IN = Institutional, PH =	_
Dispense As Written Ind	1 Fixed	AN (0)	S			D101
		ving whether a brand name drug	g can be dispensed in lieu of a generic.			_ D101
Validation Rules:	Required on F	Pharmacy claims. Must be null fo	or member share			_
DRG	3 Max	N	N	None	DRG (N, L< =3)	D73
Data Element Description:	The national [	DRG code if applicable.				
Validation Rules:	Must exist in t	he Master Lookup table. Must b	e Null for Member Share.			_
E Code	0.14					D95
Data Element Description:	6 Max External caus	AN e of injury. The ICD 9-CM code	N for the external cause of an injury, poison	ning or adverse effect.		
Validation Rules:	Must exist in t	he Master Lookup table.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
From Statement Covers Date  Data Element Description:	10 Fixed The beginning	D (CCYY-MM-DD)	S ided on this bill			_ D92
Validation Rules:	Required on I	nstitutional claims. Must be null	for member share			_
MA Billing Provider ID	8 Fixed	N (0000000)	S	None	NA	_D18
Data Element Description:	Medicaid Billin	ng Provider ID				
Validation Rules:	Required whe	en Billing Provider ID field is not	used otherwise it is optional. Must exist i	in the Master Lookup tabl	е.	_
MA Rendering Provider ID	8 Fixed	N (0000000)	S	None	NA	D24
Data Element Description:	Medicaid Ren	dering Provider ID				_52.
Validation Rules:	Must exist in t	the Master Lookup table. The N	IA Rendering Provider ID must not equal	CMO based Org ID		_
National Health Plan ID	80 Max	AN	N	None		D64
Data Element Description:	The national h	nealth plan identifier for this plar	1			
Validation Rules:						_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
National Place of Service	2 Max	AN	S	None	Place of Service Code (AN, L=2)	D44
Data Element Description:	National Place	e of Service Code. (Refer to the	e place of service appendix in Part K of th	ne WMAP handbook).		_
Validation Rules:	Must exist in t	he Master Lookup table. Requi	red on Professional claims. Must be NUL	L for member share.		_
National Recipient ID	80 Max	AN	N	None		D65
Data Element Description:	The member's	s national subscriber identifier.				_
Validation Rules:						_
Original ID	80 Max	ANPlus	S	None	NA	D06
	The unique ID a Record_ID.	assigned by the MCO to refere	nce the first encounter that this and/or all	subsequent adjustments	were made from. This ID will always reference	_
Validation Rules:	Must exist on	an Original record for that orgar	nization. Must exist on an adjustment rec	cord.		_
Parent Record ID	80 Max	ANPlus	\$	None	NA	D05
Data Element Description:			y the record (claim detail line) that is bein credit and debit transactions will reference		used only when adjusting an existing encounter ing adjusted.	
Validation Rules:	Used only who		an adjustment. Must match the Record_	_ID of the record being ad	justed. Required if record being submitted is	_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Patient Discharge Status Code	2 Max	AN	s		NA	D78
Data Element Description:						_
Validation Rules:	Must exist in	the Master Lookup table. Requi	red on Institutional Claims. Must be null f	or member share.		_
Prescriber DEA Number		AN				D98
Data Element Description:	9 max Drug Enforce	ment Agency number of the pre	S scribing provider			_ Dag
Validation Rules:	Required on p	pharmacy claims. Must be null fo	or member share			_
		AN				
Prescription Number  Data Element Description:	8 max Unique presc	ription number	S			_ D99
Validation Rules:	Required on I	Pharmacy claims. Must be null fo	or member share			_
Procedure Code	48 Max	AN	S	None	Procedure Code (AN, L=48)	D46
Data Element Description:		s, E-Codes, local, or national cod 11AN and CPT is 5N	le. Local codes are approved State Loca	I codes and not County or	r MCO generated local codes. HCPCS is a	
Validation Rules:	Must exist in	the Master Lookup table. Requi	red if Revenue Code or ICD9 Procedure	code is not provided.		_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Quantity	15 (12,3) Max	N (-9999999999999999)	S	None	Service Unit Count (AN, L=15)	D52
Data Element Description:	The quantitati	ve measure of service rendered	d according to the service. Example the q	uantity of 35 1/2 can be s	sent as 35.5, 35.50 or 35.500.	
Validation Rules:	Must be prese	ent for Encounter Transactions.	Must be NULL for member share transac	tions.		_
Recipient Birth Date	10 Fixed	D (CCYY-MM-DD)	N	None	Birth Date (AN, L=25)	D71
Data Element Description:	Birth date for t	the Recipient/Subscriber				
Validation Rules:						<del></del>
Recipient Death Date	10 Fixed	D (CCYY-MM-DD)	N	None	Death Date (AN, L=25)	D72
Data Element Description:	Death date for	r the Recipient/Subscriber				
Validation Rules:						_
Recipient Middle Name	25 Max	ANPlus	N	None	Patient Middle Name (AN, L=25)	D33
Data Element Description:	Full middle na	me of recipient.				
Validation Rules:						

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Rendering Provider First Name	25 Max	ANPlus	N	None	Rendering_Provider_ First_Name (AN, L=25)	D28
Data Element Description:	First name of	the rendering provider.				_
Validation Rules:						_
Rendering Provider ID	80 Max	ANPlus	S	None	Rendering Provider Identifier (AN, L=80)	D26
Data Element Description:	The Renderin	g Provider's Employer ID, SSN,	National Provider ID, or MCO specific ID	).		
Validation Rules:	Required if Re	endering Provider Last Name is	used.			=
Rendering Provider ID-Qualifier	2 Max	AN	S	None	ID Code Qualifier (AN, L=2)	D25
Data Element Description:	Qualifies wha	t identification is used in the Ren	ndering Provider ID field. EIN = 24, SSN =	= 34, NPI = XX, or MCO :	specific = CO.	
Validation Rules:	Must be one o	of the following: 24, 34, XX or C	CO. Required if Rendering Provider ID is u	used.		_
Rendering Provider Last Name	35 Max	ANPlus	S	None	Rendering_Provider_Last_Name (AN, L=35)	D27
Data Element Description:	Last name of	the rendering provider.				_
Validation Rules:	Required if Re	endering Provider ID is used.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Rendering Provider Middle Name	25 Max	ANPlus	N	None	Rendering_Provider_ Middle_Name (AN, L=25	) D29
Data Element Description:	Full middle na	me of the rendering provider.				
Validation Rules:						_
Revenue Code	4 Max	AN	S	None	NA	D51
Data Element Description:	A code which	identifies a specific accommoda	ation, ancillary service or billing calculatio	n.		
Validation Rules:	Must exist in t	he Master Lookup table. Requi	red if ICD9 Procedure Code or Procedure	e Code is not provded. Re	equired if ICD9 Procedure Code is provided.	_
		D (CCYY-MM-DD)				
To Statement Covers Date  Data Element Description:	10 Fixed The ending se	ervice date of the period include	S d on this bill			_ D93
Validation Rules:	Required on I	nstitutional claims. Must be null	for member share			_
Type of Bill Code	3 Max	AN	s			D91
Data Element Description:	A code indica Frequency. U	ting the specific type of bill. This B92 requires 3 fields and the HII	three digit code requires 1 digit in each, i PAA 837 only requires 2	n the following sequence	: 1) Type of facility, 2) Bill Classification 3)	_
Validation Rules:	Must be on th	e master lookup table. Required	on Institutional claims. Must be null for	member share.		_

Data Element	Length Ty	pe (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Unit Dose Ind  Data Element Description:	1 Fixed Indicator used whe	AN(0) en billing unit dose drugs.	S			_ D100
Validation Rules:	Required on Phari	macy claims. Must be null for	r member share			_
Primary ANSI Reason Code	3 Max	AN	s	None	NA	D11
Data Element Description:	Primary standard /	ANSI reason code (Claim Ad	djustment Reason Codes).			
Validation Rules:	Must exist in the N the Primary ANSI	flaster Lookup table. If the Cl Reason Code field.	laim Status field = "D" or if the amount pa	aid differs from the amo	ount charged a reason code must be provided in	_
Second ANSI Reason Code	3 Max	AN	N	None	NA	D12
Data Element Description:	Additional standar	d ANSI reason code (Claim	Adjustment Reason Codes).			_512
Validation Rules:	Must exist in the N	flaster Lookup table.				_
Third ANSI Reason Code	3 Max	AN	N	None	NA	D13
Data Element Description:	Additional standar	d ANSI reason code (Claim	Adjustment Reason Codes).			_
Validation Rules:	Must exist in the M	Master Lookup table.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Fourth ANSI Reason Code	3 Max	AN	N	None	NA	D14
Data Element Description:	Additional star	ndard ANSI reason code (Claim	Adjustment Reason Codes).			_5
Validation Rules:	Must exist in t	he Master Lookup table.				_
Fifth ANSI Reason Code	3 Max	AN	N	None	NA	D15
Data Element Description:	Additional star	ndard ANSI reason code (Claim	n Adjustment Reason Codes)			_
Validation Rules:	Must exist in t	he Master Lookup table.				_
Sixth ANSI Reason Code	3 Max	AN	N	None	NA	D16
Data Element Description:	Additional star	ndard ANSI reason code (Claim	Adjustment Reason Codes).			
Validation Rules:	Must exist in t	he Master Lookup table.				_
Primary Diagnosis Code	30 Max	ANDot	N	None	Primary Diagnosis (AN, L=30)	D75
		code describing the primary dia e diagnosis code found on the E		er study to be chiefly respo	onsible for causing the admission or health care	<u> </u>
Validation Rules:	Must exist in t is required for	he Master Lookup table. Must b Institutional and Professional C	pe NULL for member share. Diagnosis co laim types.	des must be filled out seq	quentially without gaps. Primary Diagnosis Code	e

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Second Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D35
Data Element Description:	Additional ICD	9-9 code for conditions that may	coexist at the time services were rendered	ed.		_
Validation Rules:	Must exist in t	he Master Lookup table.				_
Third Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D36
Data Element Description:	Additional ICD	9-9 code for conditions that may	coexist at the time services were rendered	ed.		_
Validation Rules:	Must exist in the	he Master Lookup table.				_
Fourth Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D37
Data Element Description:	Additional ICD	9-9 code for conditions that may	coexist at the time services were rendered	ed.		
Validation Rules:	Must exist in t	he Master Lookup table.				_
Fifth Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D38
Data Element Description:	Additional ICD	9-9 code for conditions that may	coexist at the time services were rendered	ed.		_
Validation Rules:	Must exist in t	he Master Lookup table.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Sixth Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D39
Data Element Description:	Additional ICE	0-9 code for conditions that may	coexist at the time services were rendered	ed.		
Validation Rules:	Must exist in t	he Master Lookup table.				_
Seventh Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	_D40
Data Element Description:	Additional ICE	0-9 code for conditions that may	coexist at the time services were rendered	ed.		
Validation Rules:	Must exist in t	he Master Lookup table.				
Eighth Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D41
Data Element Description:	Additional ICE	0-9 code for conditions that may	coexist at the time services were rendered	ed.		_
Validation Rules:	Must exist in t	he Master Lookup table.				_
Ninth Diagnosis Code	30 Max	ANDot	N	None	Additional Diagnosis (AN, L=30)	D77
	Additional ICE	0-9 code for conditions that may	coexist at the time services were rendered	ed.		_
Validation Rules:	Must exist in t	he Master Lookup table.				_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Primary ICD9 Procedure Code  Data Element Description:	30 Max	AN identifies the primary procedure	S e performed during the period covered by	y this encounter.	NA	_ D79
		the Master Lookup table. Requi code must be provided.	red if Procedure Code Or Revenue Code	is not provided. If ICD9 F	Procedure date is provided, then the	_
Primary ICD9 Procedure Date  Data Element Description:	10 Fixed The date the	D (CCYY-MM-DD) primary procedure was performe	S ed during the period covered by this enco	ounter.	NA	_ D85
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the o	corresponding ICD9 Procedure date mus	t be provided		_
Second ICD9 Procedure Code  Data Element Description:	30 Max The code that	AN identifies additional procedures	S s performed during the period covered by	this encounter.	NA	_ D80
Validation Rules:	Must exist in t	the Master Lookup table. If ICD	9 Procedure date is provided, then the co	oresponding code must b	e provided.	-
Second ICD9 Procedure Date  Data Element Description:	10 Fixed The date the	D (CCYY-MM-DD) additional procedure was perfor	S med during the period covered by this en	counter.	NA	_ D86
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the	corresponding ICD9 Procedure date mus	t be provided		_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Third ICD9 Procedure Code  Data Element Description:	30 Max	AN identifies additional procedures	S s performed during the period covered by	this encounter.	NA	_ D81
Validation Rules:	Must exist in t	he Master Lookup table. If ICD	9 Procedure date is provided, then the co	presponding code must be	e provided.	-
Third ICD9 Procedure Date  Data Element Description:	10 Fixed The date the a	D (CCYY-MM-DD) additional procedure was perfor	S med during the period covered by this en	counter.	NA	_ D87
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the o	corresponding ICD9 Procedure date mus	t be provided		-
Fourth ICD9 Procedure Code  Data Element Description:	30 Max The code that	AN identifies additional procedures	S s performed during the period covered by	this encounter.	NA	_ D82
Validation Rules:	Must exist in t	he Master Lookup table. If ICD	9 Procedure date is provided, then the co	oresponding code must be	e provided.	-
Fourth ICD9 Procedure Date  Data Element Description:	10 Fixed The date the a	D (CCYY-MM-DD) additional procedure was perfor	S med during the period covered by this en	counter.	NA	D88
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the o	corresponding ICD9 Procedure date mus	t be provided		-

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
Fifth ICD9 Procedure Code Data Element Description:	30 Max	AN identifies additional procedures	S performed during the period covered by	this encounter.	NA	_ D83
Validation Rules:	Must exist in t	he Master Lookup table. If ICD	9 Procedure date is provided, then the co	presponding code must be	e provided.	_
Fifth ICD9 Procedure Date  Data Element Description:	10 Fixed The date the	D (CCYY-MM-DD) additional procedure was perfor	S med during the period covered by this er	icounter.	NA	_ D89
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the o	corresponding ICD9 Procedure date mus	it be provided		-
Sixth ICD9 Procedure Code  Data Element Description:	30 Max The code that	AN identifies additional procedures	S s performed during the period covered by	this encounter.	NA	_ D84
Validation Rules:	Must exist in t	he Master Lookup table. If ICD	9 Procedure date is provided, then the co	oresponding code must be	e provided.	-
Sixth ICD9 Procedure Date  Data Element Description:	10 Fixed The date the	D (CCYY-MM-DD) additional procedure was perfor	S med during the period covered by this er	ocounter.	NA	_ D90
Validation Rules:	If the ICD9 Pr	ocedure Code is Provided, the o	corresponding ICD9 Procedure date mus	it be provided		_

Data Element	Length	Type (AN, N, D, A, ANPlus, ANDot)	Is data Required?	Default Value	HIPAA (837) name and characteristics	ID#
First Modifier Code	2 Max	AN	N	None	Procedure Code Modifier 1 (AN, L=2)	D47
Data Element Description:	Two digit mod	lifier code for the procedure cod	le.			_
Validation Rules:	Must exist in t	he Master Lookup table. Modifie	ers must be filled sequentially without gaps	S.		_
Second Modifier Code	2 Max	AN	N	None	Procedure Code Modifier 2 (AN, L=2)	D48
Data Element Description:	Additional two	o digit modifier code.				
Validation Rules:	Must exist in t	he Master Lookup table.				_
Third Modifier Code	2 Max	AN	N	None	Procedure Code Modifier 3 (AN, L=2)	D49
Data Element Description:	Additional two	digit modifier code.				_5.0
Validation Rules:	Must exist in t	he Master Lookup table.				_
Fourth Modifier Code	2 Max	AN	N	None	Procedure Code Modifier 4 (AN, L=2)	D50
Data Element Description:	Additional two	digit modifier code.				
Validation Rules:	Must exist in t	he Master Lookup table.				_

#### **Information regarding Data Type**

AN Alpha numeric

**ANPlus** Alpha numeric + special characters

ANDot Alpha numeric + period

A AlphaN NumericD Data

#### Information regarding length

(000) fixed length(999) variable length

#### Information regarding required field

Y Yes, Data is required in this field for Original or Change New transactions

No, Data is not required in this field

Situational, Data is required in this field only when certain other criteria is met

Please note, the DD does not specify the severity of the edit. In most cases, it makes sense to set the severity to batch accept or batch reject. But, for business reasons, it may have been set to a Warning

#### Validation rule

This information is limited to business decisions and whether the data is checked against a master table or domain. We do not go into parser or data integrity validations.

4/26/2005 (First draft)